

NX Advanced FEM environment for LS-Dyna solver


NX CAE

Benefits

- Enables engineers using NX Advanced FEM and NX Advanced Simulation to generate finite element models for the LS-Dyna solver
- Simplifies the LS-Dyna modeling process by enabling engineers to create analysis models based on geometry
- Reduces or eliminates intermediate manual processing of data files by generating run-ready decks directly from NX Advanced FEM
- Immerses engineers in the LS-Dyna environment by using familiar LS-Dyna terminology and extensive support of LS-Dyna-specific elements and entities

Summary

The LS-Dyna environment for NX™ Advanced FEM and NX Advanced Simulation enables engineers to build finite element models and define solution parameters for the LS-Dyna solver. The environment immerses engineers with familiar LS-Dyna language for element definitions, loads and boundary conditions, solution parameters and other common LS-Dyna nomenclature. In addition to model definition capabilities, the LS-Dyna environment enables bi-directional import/export capabilities that enable you to import current or legacy LS-Dyna data files and results, as well as export run-ready LS-Dyna input data files.



Dataset courtesy of the National Crash Analysis Center at George Washington University.

Using NX to create LS-Dyna models

The power of NX Advanced FEM pre/postprocessing is an ideal partner for creating LS-Dyna models and solutions. NX Advanced FEM simplifies the modeling process by integrating high-end analyst modeling tools with world-class geometry capabilities that assist you with developing analysis models faster than with traditional CAE preprocessors. Adding the LS-Dyna environment to NX Advanced FEM enables you to build LS-Dyna run-ready input data files, so little or no intermediate processing is ever needed. In

NX

www.siemens.com/nx

SIEMENS

NX Advanced FEM environment for LS-Dyna solver

In addition to building LS-Dyna models, the NX LS-Dyna environment imports solution results directly from LS-Dyna results files into NX for postprocessing. The environment delivers import/export capabilities so you can import LS-Dyna data decks into NX for modification and then export run-ready decks for solution.

Elements and other entities

A wide variety of elements and other model entities are supported.

Structural element types:

Element/LS-Dyna keyword

0D elements

- Element mass: Structural mass element
- Element inertia: Lumped inertia element assigned to a node


1D elements

- Element beam: Two-node 1D linear beam element (beam, truss)
- Element beam offset: Section properties (created automatically when you define offset and use default orientation)

- Element beam orientation: Section properties (created automatically when you define orientation but not offset)
- Element beam offset orientation: Section properties (created automatically when you define both orientation and offset)
- Element discrete: Two-node 1D element (spring, damper)


2D elements

- Element shell (3), (4), (6), (8): Three, four, six and eight node 2D thin-shell elements
- Element shell thickness: Thickness extracted from midsurface (created automatically)
- Element shell offset: Thickness offset (created automatically when you define offset)
- Element shell beta: Material orientation (created automatically when you define the angle in element associated data)
- Element shell MCID: Material orientation (created automatically when you define material coordinate system in element associated data)
- Part composite keyword is supported in NX Laminate Composites



3D elements

- Element tshell (6), (8): Six-node and eight-node 3D solid Hex6 and Hex8 elements
- Element solid (4), (6), (8), (10): Four, six, eight and ten node 3D solid elements for isotropic materials
- Element solid ortho: Material orientation for orthotropic/anisotropic materials (created automatically when you define material orientation). Material orientation is defined by two vectors



Note:

A complete list of LS-Dyna export entity support is provided in the NX online help documentation under the following header: *Advanced Simulation/Solving the Model/Importing and Exporting Model Data/*.


Compatibility

The LS-Dyna environment is compatible with the following LS-Dyna releases:

- LS-Dyna v971R5.0 or earlier

Supported hardware/OS

The LS-Dyna environment is an add-on module within the NX CAE product suite. It requires a license of NX Advanced FEM as a prerequisite. It is available on all NX supported hardware/OS platforms (Windows and Linux) including selected 64-bit platforms.



Contact
Siemens Industry Software
Americas +1 800 498 5351
Europe +44 (0) 1276 702000
Asia-Pacific +852 2230 3333

www.siemens.com/nx

© 2011 Siemens Product Lifecycle Management Software Inc. All rights reserved. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Geolus, GO PLM, I-deas, Insight, JT, NX, Parasolid, Solid Edge, Teamcenter, Tecnomatix and Velocity Series are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. All other logos, trademarks, registered trademarks or service marks used herein are the property of their respective holders.
X14 14735 10/11 B