

## Product Realization for aerospace and defense

# Enabling companies to meet production schedule and cost targets while delivering high-quality products

#### Benefits

- Enables early manufacturability evaluation of design alternatives
- Creates comprehensive manufacturing plans
- Integrated change management for increased collaboration between design and manufacturing
- Supports effective communication with production and shop floor systems
- Monitoring and control quality

#### Summary

Aerospace and defense programs are becoming increasingly complex to execute. Not only is the number of available programs decreasing, but customers are demanding greater accountability when it comes to meeting program requirements, budgets and timelines.

Aerospace and defense companies compete in a global marketplace and execute programs with multiple partners and suppliers. To be successful in this environment, they must demonstrate their ability to execute programs across the extended organization. delivering products that meet scheduling and budget requirements. Programs often fail due to late discovery of design and manufacturing issues when it is most costly and time consuming to implement changes. The solution is to enable manufacturing engineering to assess design alternatives starting in the early stages of program concept development.

Product Realization, a Siemens PLM Software solution, allows manufacturing engineering to do just that, not only



## Product Realization for aerospace and defense

#### Features

- Use 3D simulation tools for validating assembly and part manufacturing methods
- Digital simulation and assessment of human factors and ergonomics studies
- Simulation analysis for throughput, buffer, layout and learning curve impact
- Develop and commission NC machining, robotic and inspection programs
- Author, manage and share electronic work instructions with shop floor
- Manage as-designed, as-planned and as-built BOM in a single environment

enabling them to assess design alternatives, but also to accurately plan on-time project launches and communicate effectively with the shop floor.

## Producing significant opportunities for optimization

When an analysis of manufacturing impact is conducted during the concept phase, aerospace and defense firms can gain confidence that program costs and schedules will be achieved. When the manufacturing definition is allowed to evolve continuously until the design is finalized, it can produce significant opportunities for optimizing design and manufacturing processes.

Product Realization enables you to evaluate alternative design concepts to determine the impact on assembly processes, tooling changes and plant layouts. By simulating manufacturing processes, production rates can be validated and downtime minimized by allocating the necessary buffers. In addition, you can estimate the effects of new concept designs on operational costs and the learning curve. This type of analysis significantly improves

Manufacturing Process Planner (P) Anner (P)	rt (pat) - Organization	/ Manufacturing En	igineer - [ IV	AC2078079911 ] [ SA500 ] [ ]	(SPEMETED)			9 H
ADE-BP000001/A(1-AEROPLANTPROCESS X	-0	PERT S Time \$	R I					
Litest Working     Today     Nat Specifical (modified)     Nat Specifical (modified)       2014     EMONITING     EMONITING     EMONITING       2014     EMONOTINGAL-ARROWNER     EMONITING ARROWNERS     EMONITING ARROWNERS       2014     EMONOTINGAL-ARTICLE ARROWNERS     EMONITING ARROWNERS     EMONITINGAL ARROWNERS     EMONITING ARROWNERS     EMONITING ARROWNERS     EMONITING ARROWNERS     EMONITING ARROWNERS     EMONITING ARROWNERS     EMONITINGAL ARR	IV STATION (View)	cope: ADE-EP000152 Time Values Allocated Time: 11 Populate Estimated Time: 1 Simulated Time: 0	2/A1-WING 20 min Report 20 min Imin	LET_ASSY (view) Time Analysis Category Value added Non value added but req Total Work: 118.63 min Total Duration: 118.63 min	Time (min) 10 6.5 7.1 7.1	25 22 11	Market Cargo	ite Report
2								
4 Terces Garett (2)					E - 6, 6	- S.WZ	. <u>3</u> J   🍲 •	e
2 Process Gent (1) BOM Line	Calculated Start Tin	Me Allocated T	0	50 100 150 200	<u>در مر</u> 250 ي	550 400	. <u>75</u> 450 - 550 - 55	<del>20</del> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Calculated Start Tim 0	Allocated T 220 20	0	30 100 135 200	250 300 A01	<u>ک (کارٹ) میں</u> یون (دوری) دوری (دوری)	35	200 500 550 ATION (Vizw)
#     #       © Process Gentt 33     #       EOM Line     *       *     #       *     #       # <td>Calculated Start Tim 0</td> <td>ne Aliocated T 220 90</td> <td>0</td> <td>50 100 150 200 </td> <td>250 200 ADI MING LH ASSY (1</td> <td>ی کر ایکی است. 150 400 E BP00006/A1.51 Gen)</td> <td>. <u>25</u> €</td> <td>9 600 (S9) ATION (Vers)</td>	Calculated Start Tim 0	ne Aliocated T 220 90	0	50 100 150 200 	250 200 ADI MING LH ASSY (1	ی کر ایکی است. 150 400 E BP00006/A1.51 Gen)	. <u>25</u> €	9 600 (S9) ATION (Vers)
**     #       2: Process Gent 12:     BOMLike       ************************************	Calculated Start Tim 0 0 0	Pat Allocated T 220 90 90	0	30 100 130 300 ADE 8700187/AJ ADE 8700187/AJ	250 100 250 100 4005_LH_ASSY (v WM04_BASSY (v WM04_BASSY (v M040_BASSY (v M040_BASSY (v)	<u>در ایک ایک ایک ایک ایک ایک ایک ایک ایک ایک</u>	. <u>25</u> 450 - 500 - 55 TA-120 WING ASSY ST	<u>ک</u> وی در
2     Process Geneti \$2       BOM Like     *     20.406-8900004/43-5TA-120 WING ASSY STATION (New)       3     20.406-890001/A2-14005_HLASSY (New)       3     20.406-890001/A2-14005_HLASSY (New)       3     20.406-890001/A2-14005_HLASSY (New)       3     20.406-890001/A2-14006_HLASSY (New)       4     20.406-890001/A2-14006_HLASSY (New)       5     20.407-890001/A2-14006_HLASSY (New)	Calculated Start Tim 0 0 0 90	Pet Allocated T 220 90 90 120 60	0	30 100 130 200 ADE 8P00031/A3 ADE 8P00031/A3	230 300 ADI WING JH ASSY (MASSY (Mass	<u>دور المراجع ال مراجع المراجع ا مراجع المراجع الم</u>	. 35	영 2 · · · · · · · · · · · · · · · · · ·
#     #       # Process Gwett 33     #       BOM Line     *       * "A DO- BP0000EV/c4.1-STA-120 WENG ASSY STATION (View)     *       * "A DO- BP00012V/c4.1-WING LIPL ASSY (View)     *       * "A DO- BP00012V/c4.1-WING LIPL ASSY (View)     *       * "B ADD- BP00012V/c4.1-WING LIPL ASSY (View)     *       * B ADD- BP00012V/c4.1-WING LIPL AND/MING GBAD View)     *	Celculated Start Tim 0 90 90	** Allocated T 223 90 90 90 90 90 90 90 90 90 90 90 90 90		39 100 139 200 ADE 8P00031/A3 ADE 8P000131/A3	230 300 400 400 400 400 400 400 400	50 400 E 6P00006/A1/ST (Fek) (-1-WINGLET_ASS) (-1-WINGLET_ASS)	73	2 <sup>0</sup> 2 <sup></sup> C C 2 0 600 650 ATDH (Vere)



visibility into manufacturing costs and production viability.

#### Synchronized design and manufacturing

The ability to improve preliminary design based on manufacturing requirements can produce significant enhancements when a program reaches the detailed design stage. Production Realization helps manufacturing engineers perform tolerance analyses and check for causes of dimensional variations. This enables them to predict if design specifications will cause any build problems. Furthermore, ergonomic studies of manual assembly processes can be performed to check for worker safety and compliance issues. Part fabrications, machining process steps and numerical control (NC) programs can even be generated for complex aerospace parts. An integrated change management platform ensures that necessary design and manufacturing changes can be performed in a collaborative manner.

## Providing virtual production verification

Product Realization relies on simulation capabilities to validate production processes. Aerospace and defense companies can start by creating a bill-of-process (BOP) outlining the manufacturing steps. Tooling designs are finalized and requisitions are sent via managed workflow. Detailed 3D work instructions are derived automatically from the assembly process definition. Subsequently, quality engineers can develop inspection requirements and programming.

## Facilitating traceability to the shop floor

Product Realization provides capabilities to connect directly to shop-floor applications, thereby enabling manufacturing engineering to communicate accurate and up-to-date release data to the operators. Shop-floor integration drives traceability of customer and regulatory requirements from design to the production system. You can save significant time and costs when comparing as-designed and as-built configurations when delivering the Material Inspection and Receiving Report form of the United States Department of Defense (DD250) and similar regulatory certificates. The 3D work instructions can be sent directly to manufacturing execution system (MES) terminals to ensure error-free assembly on the shop floor. Similarly, quality requirements can be sent directly to inspection points on the shop floor, ensuring all quality requirements are being met.



#### Delivering a quick resolution

A single source environment for design and manufacturing allows aerospace and defense companies to quickly generate the sell-off data package. Such a managed environment ensures that continuous compliance requests can be traced and resolved quickly. All program libraries, templates and documentation are kept in a managed environment for future program pursuits and continuous learning.

#### Conclusion

The Product Realization solution empowers aerospace and defense companies to pursue and execute programs successfully. Using a processdriven approach, product and manufacturing decisions can be taken collaboratively and synchronously. Aerospace and defense companies can validate the manufacturing feasibility of aircraft systems during the design stage, thereby significantly improving program profitability and reputation.



## Siemens PLM Software www.siemens.com/plm

Americas +1 314 264 8499 Europe +44 (0) 1276 413200 Asia-Pacific +852 2230 3308

© 2018 Siemens Product Lifecycle Management Software Inc. Siemens, the Siemens logo and SIMATIC IT are registered trademarks of Siemens AG. Camstar, D-Cubed, Femap, Fibersim, Geolus, I-deas, JT, NX, Parasolid, Solid Edge, Syncrofit, Teamcenter and Tecnomatix are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. All other trademarks, registered trademarks or service marks belong to their respective holders. 47424-A4 5/18 C